



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

INDEX TO VOLUME I

[New names in **bold-face type**]

A

- Alces shirasi*, 20.
 Allen, G. M., A bat new to the Japanese fauna, 139; An insular race of cotton rat from the Florida Keys, 235; Bats from Mount Whitney, California, 1; Bison remains from New England, 161; Hoy's shrew in Labrador, 139.
 Allen, J. A., Note on Gueldenstaedt's names of certain species of Felidæ, 90; Preliminary notes on African carnivora, 23; review of Goldman's *Mammals of Panama*, 188; The technical names of two *Colobus* monkeys, 96.
Alopex hallensis, 121.
 American Society of Mammalogists, organization meeting, 47; by-laws and rules, 49; second annual meeting, 199.
Anahyster, 23.
 Anderson, R. M., review of Dall's Report on mollusks of Canadian Arctic expedition, 246; review of Rathbun's Report on decapod crustaceans of Canadian Arctic expedition, 246.
 antelope, prong-horned, 128, 244.
 Anthony, A. W., The wood rat as a harvester, 140.
 Anthony, H. E., New rodents and new bats from Neotropical regions, 81.
Antrozous pacificus, 174.
Aonyx, 23, 24.
Arborimus, 243.
Ariela, 31.
Atilax, 26.

B

- badger, California, 12.
 Bailey, V., A new subspecies of beaver from North Dakota, 31; Identity of the bean mouse of Lewis and Clark, 70; Old and new horns of the prong-horned antelope, 128.
 Baker, A. B., Breeding of the Brazilian tapir, 143.
Balæna mysticetus, 120.
Balænoptera velifera, 120.
 Ballou, H. A., notice of his "Rats in the West Indies," 192.
 bat, brown, 173.
 California leaf-nose, 172.
 California mastiff, 111.
 Georgian, 38.
 hoary, 11.
 interior long-legged, 4.
 large brown, 5.
 little California, 11.
 long-legged, 11.
 mastiff, 182.
 Mexican free-tail, 175.
 pale lump-nose, 174.
 pallid, 174.
 red, 87.
 silver-haired, 11.
 Tejon, 1, 173.
 white-edged, 2.
 Yuma, 173.
 bear, black, 11.
 cinnamon, 11.
 polar, 121.
 bears of Asia, 213.
 beaver, 19, 31.
Berardius bairdii, 120.

bighorn, 20.
 bison, 161.
Bison bison, 162.
Bos taurus, 163.
 Bryant, H. C., The coyote not afraid
 of water, 87.
 By-laws and rules, 49.

C

Cabrera, A., notice of his "Genera
 mammalium," 148.
Callorhinus alascanus, 121.
Callospermophilus chrysodeirus, 18.
Canis antarcticus, 34.
 australis, 34.
 estor, 87.
 isodactylus, 35.
 jubatus, 35.
 lestes, 11.
Castor canadensis, 19.
 missouriensis, 32.
Cavia arequipæ, 34.
 pallidior, 34.
Cebus xanthosternus, 35.
Cervus canadensis, 20, 186.
 mexicanus, 75
 chipmunk, 94.
 Klamath, 18.
Chrotopterus colombianus, 84.
Chrysocyon brachyurus, 35.
Citellus columbianus, 17.
 townsendii, 18.
Civettictis, 26.
Colobus ferruginosus, 97.
 polycomus, 96.
Corynorhinus pallescens, 174.
 cottontail, Washington, 20.
 cougar, 240.
 coyote, 87.
 mountain, 11.
Crossarchus fasciatus, 28, 29.
 obscurus, 30.

D

Dactylomys boliviensis, 82.
 dactylinus, 82, 84.
 typus, 84.

Dall, W. H., notice of his "Report of
 the Canadian Arctic expedition—
 mollusks," 246.
 Davis, J. J., notice of his "Contribu-
 tions to a knowledge of the natural
 enemies of Phyllophaga," 44.
 Dearborn, N., The fur situation, 144.
 deer, northern Virginia, 130.
 Pennant's Mexican, 75.
 Rocky Mountain mule, 20.
 deermouse, 134.
Delphinus occidentus, 100.
 Dice, L. R., The mammals of south-
 eastern Washington, 10.
Dipodomys brevinasus, 179.
 exilis, 178.
 merriami, 178.
 nitratoides, 178.
Dusicyon antarcticus, 34.

E

editorial comment, 47, 108, 159, 197,
 250.
 elk, American, 186.
Eptesicus fuscus, 5, 173.
Erethizon epixanthum, 17.
Eumops californicus, 111, 182.
Euphractus flavimanus, 33.
 gilvipes, 33.
Eutamias amoenus, 18.
Evotomys saturatus, 14, 92.

F

Felis brasiliensis, 89.
 caracal, 90.
 griffithii, 89.
 hippolestes, 13.
 maragua, 89.
 ocelot, 88.
 onca, 38.
 pardalis, 88.
 rufa, 91.
 Fitzsimons, F. W., notice of his "Nat-
 ural history of South Africa. Mam-
 mals," 246.
 fox, red, 12.
 white, 121.

G

- Genetta victoriae, 25.
 Gidley, J. W., see Miller, G. S., and J. W. Gidley.
 Gilmore, M. R., Food stored by the bean mouse, 157.
 Glaucomys volans, 95.
 goat, Missoula, 21.
 Goldman, E. A., notice of his "Mammals of Panama," 188.
 gopher, brown pocket, 16.
 Columbian pocket, 16.
 Grinnell, G. B., As to the wolverine, 182.
 Grinnell, J., A new kangaroo rat from the San Joaquin Valley, California, 178; notice of his "California ground squirrels," 97.

H

- Hall, H. M., and Joseph Grinnell, notice of their "Life-zone indicators in California," 245.
 Hall, M. C., notice of his "The adult taenioid cestodes of dogs and cats, and related carnivores in North America," 44.
 Hanna, G. D., Mammals of the St. Matthew Islands, Bering Sea, 118.
 Harper, F., The Florida water-rat in Okefinokee Swamp, Georgia, 65.
 Herpestes, 26, 27.
 griseus, 29.
 Hinton, M. A. C., notice of his "Report on the house rats of India, Burma, and Ceylon," 146.
 Histiotus inambarus, 85.
 Hollister, N., Dates of shedding of horns, 244; editorial comment, 47, 108, 159, 197, 250; notice of his "East African mammals in the U. S. National Museum," 43; review of Fitzsimon's Natural history of South Africa, 246.
 Howell, A. B., A plea for more concise technical papers, 158; A second record of *Phenacomys albipes* in California,

with a discussion of the species, 242; A supplementary note on cleaning skulls, 145; An easy method of cleaning skulls, 40; Contribution to the life-history of the California mastiff bat, 111; *Microtus townsendi* in the Cascade Mountains of Oregon, 141; Some Californian experiences with bat roosts, 169.

Howell, A. H., Death of Thomas M. Owen, 187; Description of a new race of the Florida water-rat, 79; Description of a new species of beach mouse from Florida, 237; Notes on the fox squirrels of southeastern United States, with description of a new form from Florida, 36; The Florida spotted skunk as an acrobat, 88.

I

- Ichneumia, 26.
 Ischyromys parvidens, 73.

J

- Jackson, H. H., T., An apparent effect of winter inactivity upon distribution of mammals, 58; Diurnal nest-building by a wood rat, 241; review of Hall's Adult taenioid cestodes of carnivores in North America, 44; review of Davis's Contributions to a knowledge of the natural enemies of Phyllophaga, 44; The Georgian bat, *Pipistrellus subflavus*, in Wisconsin, 38; The second annual meeting of the American Society of Mammalogists, 199; The white-tailed jack rabbit, *Lepus townsendii* campanius, introduced into Wisconsin, 186.
 jaguar, 38, 241.
 Jewett, S. G., Notes on two species of *Phenacomys* in Oregon, 165.
 Joleaud, L., notice of his "Les migrations des mammifères," etc., 190.

K

- Kerodon, 34.

L

- Lange, D., Notes on flying squirrels and gray squirrels, 243.
Lasionyctris noctivagans, 11.
Lasiurus borealis, 87.
Leptonyx, 24.
Lepus bairdii, 19.
 campanius, 186.
 townsendii, 19.
 wallawalla, 19.
 List of members, 201.
 Little, L., Some notes concerning the mastiff bat, 182.
 Lönnberg, E., notice of his "Remarks on some South American Canidæ," 149.
Lutra, 23.
lynx, 13.
Lynx rufa, 91.
 ruffus, 13, 91.
 rufus, 140.

M

- Microtus californicus*, 172.
marmot, Montana hoary, 92.
 pallid yellow-bellied, 17.
Marmota avara, 17.
 nivaria, 92.
marten, 12.
Martes, 12.
 Matthew, W. D., A new genus of rodents from the Middle Eocene, 168.
Mephitis major, 12.
 putida, 140.
Melanarctos cavifrons, 230.
 Merriam, C. H., Criteria for the recognition of species and genera, 6;
 Death of James M. Macoun, 187; Is the jaguar entitled to a place in the California fauna? 38; Why should every specimen be named? 41.
Micraonyx, 24, 25.
Microsciurus septentrionalis, 81.
Microsorex hoyi, 139.
Microtus, 11.
 abbreviatus, 122.
 arvicoloides, 94.
 bairdi, 184.

- Microtus canescens*, 14.
 cantwelli, 180.
 mordax, 15.
 oregoni, 180, 184.
 pennsylvanicus, 185.
 scalopsoides, 185.
 townsendi, 141.
 wahema, 72.

Miller, G. S., review of Ballou's Rats in the West Indies, 192; review of Cabrera's Genera mammalium, 148; review of Hinton's Report on the house rats of India, Burma, and Ceylon, 146; review of Joleaud's Les migrations des mammifères Américains et Africains, etc., 190; review of Lönnberg's Remarks on some South American Canidæ, 149; review of Neuville's De l'Extinction du Mammouth, 150.

- Miller, G. S., and J. W. Gidley, A new fossil rodent from the Oligocene of South Dakota, 73.
mink, Pacific, 12.
mole, Scheffer, 11.
monkey, colobus, 96.
Monticavia, 34.
moose, 142.
 Shiras, 20.
mouse, beach, 237.
 bean, 70, 72, 157.
 biting meadow, 15.
 Blue Mountain jumping, 17.
 Columbian pocket, 17.
 dusky harvest, 13.
 dusky red-backed, 14.
 Gambel white-footed, 13.
 gray grasshopper, 13.
 gray meadow, 14.
 Hall Island meadow, 122.
 house, 15.
 Northwest pocket, 16.
 Oregon pocket, 16.
 Rainier meadow, 180.
 red-backed, 92.
 sagebrush white-footed, 14.
 white-headed beach, 239.

Mungos, 27.
Mus musculus, 15.
 muskrat, Rocky Mountain, 15.
Mustela arizonensis, 12.
 energumenos, 12.
 lepta, 12.
Myotis albicinctus, 2, 3, 4.
 altipetens, 3, 4, 5.
 californicus, 11.
 interior, 4, 5.
 longicrus, 4, 11.
 lucifugus, 1, 2, 3, 4, 5.
 saturatus, 1, 2.
 sociabilis, 1, 2, 5, 173.
 subulatus, 3.
 ussuriensis, 139.
 yumanensis, 1, 2, 11, 173.

N

Neofiber alleni, 65, 79.
 nigrescens, 79.
Neosorex navigator, 11.
Neotoma albigula, 91, 242.
 occidentalis, 14, 91, 94.
 orolestes, 233.
 Neuville, H., notice of his "De l'Extinction du Mammoth," 150.
 Nichols, J. T., Red bat and spotted porpoise off the Carolinas, 87.
Nycetris cinerea, 11.
Nyctinomus mexicanus, 175.

O

Odobenus divergens, 120.
Odocoileus borealis, 130.
 hemionus, 20.
 mexicanus, 77.
Ondatra osoyoosensis, 15.
Onychomys fuscogriseus, 13.
Orcinus orca, 120.
Oreamnos missoulæ, 21.
Osbornictis, 25.
 piscivora, 25.

Osgood, W. H., Attacked by a cougar? 240; Names of some South American mammals, 43; review of Hollister's East African mammals in the U. S. National Museum, 43; The *Felis*

ocelot of Hamilton Smith, 88; The status of Pennant's "Mexican deer," 75.
 otter, clawless, 23.
Ovis canadensis, 20.

P

Palmer, W., review of Jordan and Gilbert's Fossil fishes of southern California. II, 100.
Paramys copei, 169.
 delicatissimus, 168.
 delicatus, 168.
Perodipus columbianus, 17.
Perognathus columbianus, 16, 17.
 lordi, 16.
 parvus, 16.
Peromyscus, 8.
 albifrons, 238.
 artemisiæ, 14.
 gambelii, 13.
 leucocephalus, 239.
 leucopis, 185.
 niveiventris, 238.
 novaboracensis, 134.
 oreas, 93.
 phasma, 238.
 polionotus, 237, 238.
 rhoadsi, 238.
Phenacomys albipes, 165, 167, 242.
 longicaudus, 165.
 Phillips, J. C., Skull measurements in the northern Virginia deer, 130.
Phoca, 120.
Phocaena occiduus, 100.
Piliocolobus, 97.
Pipistrellus subflavus, 38.
 porcupine, yellow-haired, 17.
 porpoise, spotted, 87.
Procyon pacifica, 12.
Prodelphinus plagiodon, 87.
 puma, Rocky Mountain, 13.

R

rabbit, Rocky Mountain snowshoe, 19.
 Washington jack, 19.
 western white-tailed jack, 19.
 white-tailed jack, 186.

raccoon, Pacific, 12.
 rat, bushy-tailed wood, 233.
 Columbian kangaroo, 17.
 cotton, 235.
 Norway, 15.
 western bushy-tailed wood, 14.
 wood, 241.
 Rathbun, M. J., notice of her "Report
 of the Canadian Arctic expedition—
 decapod crustaceans," 246.
Rattus norvegicus, 15.
 recent literature, 43, 97, 146, 188, 245.
Reithrodontomys nigrescens, 13.
Reithroparamys, 168.

S

Saunders, A. A., The range of the
 hoary marmot in Montana, 92.
Scapanus schefferi, 11.
Sciurus avicennia, 37.
 carolinensis, 53.
 douglasii, 93.
 niger, 36.
 richardsonii, 19.
 rufiventer, 122.
 seal, fur, 121.
 hair, 120.
Selenarctos, 216.
 formosanus, 223.
 japonicus, 222.
 leuconyx, 226.
 macneilli, 220.
 mupinensis, 219.
 thibetanus, 218.
 ussuricus, 220.
 Seton, E. T., Acrobatic skunks, 140;
 Bobcats and wild turkeys, 140; Does
 the cuterebra ever emasculate its
 host? 94; English names of mam-
 mals, 104; Food of the red fox, 140;
 For a methodic study of life-histories
 of mammals, 67; Locality, date, and
 name with observations, 107; Migra-
 tions of the graysquirrel, 53; Notes
 on the breeding habits of captive
 deermice, 134; The jaguar in Colo-
 rado, 241; The mole-mouse, potato-
 mouse, or pine-mouse, 185.

Shaw, W. T., notice of his "Cost of a
 squirrel and squirrel control," 192.
 shrew, Dobson, 11.
 Hoy's, 139.
 navigator, 11.
 Shufeldt, R. W., A work on the com-
 parative osteology of the Procyoni-
 dæ, 196.
Sibbaldus sulfureus, 120.
Sigmodon exsputus, 236.
 Skinner, M. P., Measurements of an
 unusual elk head, 186.
 skunk, Great Basin, 12.
Sorex dobsoni, 11.
 Sowerby, A. de C., Notes on Heude's
 bears in the Sikawei Museum, and
 on the bears of Palæarctic eastern
 Asia, 213.
Spelæus, 216, 228.
 cavifrons, 230.
 leuconyx, 232.
 melanarctos, 230.
 piscator, 231.
Spilogale ambarvalis, 88.
 squirrel, Columbian ground, 17.
 flying, 95, 243.
 fox, 36.
 golden-mantled ground, 18.
 gray, 53, 243.
 mangrove fox, 37.
 Richardson, 19.
 Townsend ground, 18.
 Stoddard, H. L., Nests of the western
 fox squirrel, 122; The flying squirrel
 as a bird killer, 95.
Sylvilagus nuttallii, 20.

T

Tanton, T. L., Depressions found on
 moose trails and their significance,
 142.
 tapir, Brazilian, 143.
Tapirus terrestris, 143.
 Taverner, P. A., The test of the sub-
 species, 124.
Taxidea neglecta, 12.

- Taylor, W. P., A California record of *Microtus oregoni bairdi*, 184; A new meadow mouse from the Cascade Mountains of Washington, 180; A novel nesting place of the red-backed mouse, 92; review of Grinnell's California ground squirrels, 97; review of Hall and Grinnell's Life-zone indicators in California, 245; review of Shaw's The cost of a squirrel and squirrel control, 192; Rodent mountaineers, 93; The "general notes" column, 106; The wood rat as a collector, 91.
- Tayra sinuensis, 35.
- Thalarcos maritimus, 121.
- Thomomys columbianus, 16.
fuscus, 16.
- Tolypeutes matacus, 33.
- U
- Ursarcos mandchuricus, 226.
- Ursus, 216, 223.
altifrontalis, 11.
arctos, 223.
beringianus, 227.
clarki, 226.
collaris, 224.
formosanus, 223.
isabellinus, 225.
japonicus, 222.
lagomyiarius, 225.
leuconyx, 232.
macneilli, 220.
mandchuricus, 226.
melanarctos, 230.
- Ursus piscator, 231.
pruinus, 225.
spelæus, 228.
thibetanus, 216.
torquatus, 218.
yessoensis, 227.
- V
- Viverra mungo, 27.
- Viverricula, 26.
- vole, Townsend, 141.
- Vulpes, 12.
- W
- walrus, 120.
- wapiti, 20.
- Warren, E. R., Notes on wood rat work, 233.
- water-rat, Florida, 65, 79.
- weasel, 12
mountain, 12.
- whale, Baird's, 120.
bowhead, 120.
humpback, 120.
killer, 120.
sulphur-bottom, 120.
- wolverine, 182.
- X
- Xenogale, 26.
microdon, 26, 27.
- Z
- Zaedyus pichiy, 33.
- Zapus oregonus, 17.